

---

---


# Diamond Scribers

---

---

## Hand Diamond Scribers!


- ✦ Superior grade
- ✦ Produces error-free scribed lines
- ✦ Used for research or production applications
- ✦ Suitable for alumina, glass substrates, silicon wafers, beryllia, and many others



Part	Description
Handle	1/4" dia x 6" length
Shank	1/16" dia x 1/2" length
Tip	60 degree short angle
Extremely long life and fine edge quality	

Part	Description
Handle	5" long (Gold Tip)
Wheel	Carbide
Extremely long life and fine edge quality	

Straight End Hard Glass  
Carbide Wheel Glass Cutter  
5" long



VIN KAROLA INSTRUMENTS

P.O. Box 922273  
Norcross, GA 30010-2273  
Tel: 770/409-1499  
Fax: 770/447-8045  
e-mail: info@vinkarola.com

Vin Karola reserves the right to make changes in Design, and specifications without notice or obligation.  
© Vin Karola Instruments, 2003-2009

---

---

# Diamond Stribers

---

---

## Glass Cutting Guidelines (Carbide Wheel Cutter)

### 1. Care of Your Cutter

The glass cutter is a simple tool. But it does need care. Always keep your cutter, except for the Diamond Tip Glass Cutter, in the Cutter Stand filled with some Professional Glass Cutter Oil.

Dipping your cutter wheel in oil between every two or three cuts will keep it clean and lubricated and will prolong its life. When the cutter dulls, instead of trying to re-sharpen it, purchase a new one.

### 2. Holding the Cutter (Method 1)

Hold the cutter between the first two fingers. The thumb and index finger should be in position to bear down on the shoulders of the cutter. Support hand with the last two fingers with the notched edge of the cutter towards you. The cutter must be perpendicular to the glass. This is very important. Stand while cutting. Pressure on the cutter should be even along the entire length of the score. Practice straight scores until you get the feel of it.

### 3. Holding the Cutter (Method 2)

Grasp the shaft of the cutter with all four fingers. Place your thumb on the top. Support your hand at the wrist. Power should be delivered from the shoulder whenever possible. The notched edge of the cutter should be towards you. Keep the cutter perpendicular to the glass. You may find this position gives you more control, especially in the beginning. Again, practice.

### 4. Scoring

Lubricate with the Professional Glass Cutter Oil along the future score with the Glass Slicker. Bearing down firmly with the cutter, start 1/8" in from the edge farthest away from you. Pull the cutter towards you maintaining downward pressure. Stop 1/8" from the opposite edge. Don't go off. Listen for the scratch of your cutter. The score should show clearly on the glass. NEVER go over the same score twice. It's a law. Do the most difficult scores first, and after each score break the glass (how to break the glass will be explained just ahead).

### 5. Tapping

You might or might not tap on the score before snapping the glass. It depends on your preferences. If you decide to do tapping, you can do so with the ball end of your glass cutter or, which is better, you can use a Glass Tapper.

Hold the glass in one hand and your cutter or Glass Tapper in the other. With the end of the cutter or with the ball end of the tapper, gently begin to tap the underside of the score. Begin at the far edge tapping towards the middle. The tapping will start a 'run' in the score. Once the run starts, keep tapping just in front of it. Be firm, but not heavy handed. Do your tapping over the workbench. Glass has a tendency to break before you expect it to and you don't want it to go crashing to the floor.



VIN KAROLA INSTRUMENTS

P.O. Box 922273  
Norcross, GA 30010-2273  
Tel: 770/409-1499  
Fax: 770/447-8045  
e-mail: [info@vinkarola.com](mailto:info@vinkarola.com)

Vin Karola reserves the right to make changes in Design, and specifications without notice or obligation.  
© Vin Karola Instruments, 2003-2009

---

---

# Diamond Scribers

---

---

## Glass Cutting Guidelines (Carbide Wheel Cutter)

### 6. Snapping Straight Scores

Make a fist out of both hands with clenched fingers underneath the glass, thumbs on top, parallel to the score, firmly press out and away. Snap. If the glass is too large to hold, use the edge of your work bench. Place score just over the edge. Hold firmly in place with one hand, with the other hand grasp extended edge and snap down. The score can also be placed just over the edge of a ruler. Position one hand on each side of the ruler and press down.

### 7. Using Pliers

Use Pliers to snap off small straight line scores. Any Running Glass Pliers will work.

To break a score located close to the edge of the glass use either the Drop Jaw Glass Pliers or one of the Straight Jaw Glass Pliers.

Place a piece of cloth, for padding, between the pliers and the glass. This will prevent scratches or possible chipping. Position the pliers just up to the edge of the score line and closer to one edge of the glass, just off center. With your free hand, hold the glass on the opposite side of the score. Pull down and away with the pliers, your free hand providing opposing pressure.

### 8. Seaming the Edge

To get a finished look on the edge of your glass you can use a simple, yet efficient tool, the Edge Seamer.

Please, remember to always wear the proper safety gear including eye protection and a respirator before seaming, grinding or sanding glass.

*Vin Karola do not assume any responsibility for end use application results.*



VIN KAROLA INSTRUMENTS

P.O. Box 922273  
Norcross, GA 30010-2273  
Tel: 770/409-1499  
Fax: 770/447-8045  
e-mail: [info@vinkarola.com](mailto:info@vinkarola.com)

Vin Karola reserves the right to make changes in Design, and specifications without notice or obligation.  
© Vin Karola Instruments, 2003-2009